


Wall Elevation

KS1000 AWP / LPCB
insulated wall panel
horizontally laid


KS1000 AWP / LPCB
insulated wall panel
horizontally laid



KS1000 AWP / LPCB
insulated wall panel
horizontally laid

KS1000 AWP / LPCB
insulated wall panel
horizontally laid

Vertical Top-hat



SECTION C-C

Note for KS1000WV Profile: 9x6mm PVC foam tape should be used instead of the noted 4mm diameter butyl rubber sealant between the face of the panel and any external flashings including vertical tophat flashings.

Notes:

Rev	Description	Chkd	Date
-----	-------------	------	------



Insulated Roof
& Wall Panels
envirocare[®]
TECHNICAL SERVICES

Kingspan Limited
Greenfield Business Park No. 2, Greenfield,
Holywell, Flintshire, CH8 7GJ, UK
www.kingspanpanels.co.uk
t: 0800 587 0090

Carrickmacross Road,
Kingscourt, Co.Cavan, Ireland
www.kingspanpanels.ie
t: 00353 42 96 98529

Client

Project

Drawing
**KS1000 AWP Hz
Integrated Window Jamb**

Status

Drawn by RL	Checked by JP	Date 11/02/15
----------------	------------------	------------------

Drawing Number AWPHz15036	Revision
------------------------------	----------

This drawing is the property of Kingspan and may not be reproduced in any way without written consent from Kingspan.