


Wall Elevation

KS1000 Optimo / LPCB
insulated wall panel
horizontally laid

KS1000 Optimo / LPCB
insulated wall panel
horizontally laid



KS1000 Optimo / LPCB
insulated wall panel
horizontally laid

KS1000 Optimo / LPCB
insulated wall panel
horizontally laid

Vertical Top-hat

KS1000 Optimo / LPCB insulated wall panel horizontally laid

Self-drilling self-tapping primary fixings with
minimum 16mm diameter non-ferrous EPDM backed washer

Air seal gun grade seal to male joint inline with internal air seal


AWP joint filler bedded on gun grade sealant

Silicone seal with backing rod

Kingspan Multibeam

Intergrated window unit

Silicone seal with backing rod



SECTION C-C

Notes:

--	--	--	--

Rev	Description	Chkd	Date
-----	-------------	------	------



Insulated Roof
& Wall Panels



Kingspan Limited
Greenfield Business Park No. 2, Greenfield,
Holywell, Flintshire, CH8 7GJ, UK
www.kingspanpanels.co.uk
t: 0800 587 0090

Carrickmacross Road,
Kingscourt, Co.Cavan, Ireland
www.kingspanpanels.ie
t: 00353 42 96 98529

Client

Project

Drawing

KS1000 Optimo Hz
Integrated Window Jamb

Status

Drawn by	Checked by	Date
RL	JP	12/12/15

Drawing Number	Revision
OptimoHz15027	

*This drawing is the property of Kingspan and
may not be reproduced in any way without
written consent from Kingspan.*